

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	192	report adj2 requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:20
L2	30	1 and log adj2 (file or record or data or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:11
L3	27	1 and log adj (file or record or data or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:14
L4	6	1 and reports! with (select\$3 near report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:16
L5	4	1 and reports! with (select\$3 near report!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:17
L6	529	log adj (file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:18
L7	147	6 and log adj (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:18
L8	10	7 and report\$3 same tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:23
L9	9	8 and (timestamp\$3 or (time adj stamp\$3) or (system adj time) or date/time or (date near time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:24
L10	4	8 and (timestamp\$3 or (time adj stamp\$3) or (system adj time) or date/time or (date near time)) with (log or report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	297	(log adj file) and (log adj3 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:45
L2	7	1 and log adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:44
L3	5	2 and report\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:44
L4	3650	(log adj file) and (report\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:46
L5	42	4 and report\$3 adj3 requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:54
L6	7	5 and report\$3 adj3 (ID or identification or identifier or name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:54
L7	7	6 and reports! and (select\$4 near3 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:53
L8	2421	reports! same (select\$4 near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:53
L9	79	8 and report\$3 adj2 requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:54
L10	19	9 and report\$3 adj2 (ID or identification or identifier or name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 07:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	192	report adj2 requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:20
L2	30	1 and log adj2 (file or record or data or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:11
L3	27	1 and log adj (file or record or data or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:14
L4	6	1 and reports! with (select\$3 near report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:16
L5	4	1 and reports! with (select\$3 near report!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:17
L6	529	log adj (file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:18
L7	147	6 and log adj (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:18
L8	10	7 and report\$3 same tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:23
L9	9	8 and (timestamp\$3 or (time adj stamp\$3) or (system adj time) or date/time or (date near time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:24
L10	4	8 and (timestamp\$3 or (time adj stamp\$3) or (system adj time) or date/time or (date near time)) with (log or report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	192	report adj2 requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:32
L2	34	1 same (database or (data adj base) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:22
L3	100	report adj requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:22
L4	77	3 and reports! and (database or (data adj base) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:20
L5	35	3 and report adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:38
L6	1	3 and report adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:26
L7	37	3 and report adj2 (database or (data adj base) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:29
L8	73	3 and report near2 (generat\$3 or creat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:29
L9	1	8 and report adj (database or (data adj base) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:29
L10	36	8 and report adj2 (database or (data adj base) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:29

L11	100	report adj requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:38
L12	619	report adj6 requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:21
L13	59	12 and report adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:38
L14	47	13 and reports! same (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:11
L15	1	11 and tool same (GUI or (graphic\$4 adj user adj interface) or (user adj interface)) same report\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:13
L16	761	tool same (GUI or (graphic\$4 adj user adj interface) or (user adj interface)) same report\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:14
L17	6	16 and (tool with report\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:14
L18	6	17 and (GUI or (graphic\$4 adj user adj interface) or (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:14
L19	3	17 and (GUI or (graphic\$4 adj user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:20
L20	3545	(GUI or (graphic\$4 adj user adj interface)) with (tool or (report\$3 adj tool))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:20

L21	388	20 and reports! same (database or (data adj base) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:20
L22	38	21 and report adj6 requirements!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:22
L23	170	20 and reports! and (select\$4 near4 report!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:28
L24	0	23 and log adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:24
L25	7	20 and log adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:24
L26	3	23 and crystal adj report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:33
L27	18	21 and crystal adj report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:33

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	(crystal adj report) and (report adj generator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:20
L2	20	1 and (GUI or (graphic\$4 adj user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:14
L3	12	2 and report\$3 near9 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:22
L4	637	((crystal adj report) or (report near2 (generat\$3 or creat\$3))) same (GUI or (graph\$6 adj user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:21
L5	237	((crystal adj report) or (report near2 (generat\$3 or creat\$3))) with (GUI or (graph\$6 adj user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:21
L6	67	5 and report\$3 near9 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:22